Special Article
Editing, Writing &
Publishing

Drawing Guideline for JKMS Manuscript (01) Kaplan-Meier Curve and Survival Analysis

Jeehyoung Kim

Department of Orthopedic Surgery, Seoul Sacred Heart General Hospital, Seoul, Korea

Received: Dec 3, 2018

Accepted: Dec 20, 2018

Address for Correspondence:

Jeehyoung Kim, MD

Department of Orthopedic Surgery, Seoul
Sacred Heart General Hospital,
259 Wangsan-ro, Dongdaemun-gu,
Seoul 02488, Korea.
E-mail: kjhnav@naver.com

© 2019 The Korean Academy of Medical
Sciences.

This is an Open Access article distributed
under the terms of the Creative Commons
Attribution Non-Commercial License (<https://creativecommons.org/licenses/by-nc/4.0/>)
which permits unrestricted non-commercial
use, distribution, and reproduction in any
medium, provided the original work is properly
cited.

ORCID iDs

Jeehyoung Kim

<https://orcid.org/0000-0003-3380-1683>

Disclosure

The author has no potential conflicts of
interest to disclose.

ABSTRACT

The appropriate plot effectively conveys the author's conclusions to readers. *Journal of Korean Medical Science* will provide a series of special articles to show you how to make consistent and excellent plots easier. In the first of this series of special articles, I will cover Kaplan-Meier curve (or Kaplan-Meier plot) and the ease tools. This plot, generated as a result of the Survival Analysis, provides a visualization of the 'Kaplan-Meier Survival Probability Estimate' for each group.

Keywords: Kaplan-Meier Curve; Survival Probability Estimate; Survival Analysis

INTRODUCTION

The Kaplan-Meier method is used to calculate the Survival Probability Estimate while conducting the Survival Analysis.¹ The Kaplan-Meier curve is visualized by this method. Common statistical programs draw this, but it is cumbersome to draw to show all the necessary information neatly and easily. Authors sometimes want to express the 95% confidence interval (CI) of the Survival Probability Estimate, and *Journal of Korean Medical Science* (JKMS) recommends censored data and number at risk.

METHODS

First, visit the site.²⁻⁴ The example data 'lung' is pre-loaded (1). The example has three field names (2): 'time', 'event', and 'groups' (Fig. 1).

In the 'result' tab you will see the statistical results (3). The most commonly used 'log-rank or Mantel-Haenszel test' appears by default. A menu is provided in 'Methods' to select 'Peto & Peto modification of the Gehan-Wilcoxon test' and 'Tarone-Ware test' (Fig. 2).

The 'plot' tab draws a Kaplan-Meier curve and (4) options in 'Options for plot' are on the left. It is almost always necessary to properly adjust the 'time interval for x axis' to fit your time unit. The remainder will not require editing in most cases (Fig. 3).

Fig. 1. First screen showing ready sample data.

Fig. 2. The 'result' tab showing the results of the log-rank test and the menu for selecting different statistical methods.

Fig. 3. The 'plot' tab showing Kaplan-Meier curves and options for Kaplan-Meier curve.

After enabling 'PDF download' and clicking 'Download', the edited plot will be downloaded. JKMS recommends that you send the PDF file directly without converting the plot to other formats such as jpg or png. If you want to increase the size of the text, you can reduce the size of the PDF (Fig. 4).

'Myeloma' the second example, compares 3 groups, so you can see three Kaplan-Meier curves in the figure. The lower two are almost superposed and there is little difference, and one is located at the top. If several Kaplan-Meier curves overlap and are not well-defined, you can disable the 'CI' (Fig. 5).

Comparing multiple groups requires post-hoc pairwise comparisons. You can see it by opening the Pairwise tab (5) and you can specify 'P adjust method' (Fig. 6).

The survival table and the Summary tab also have important information, but this article focuses on plot, so I will not go into details.

Fig. 4. Options for downloading plot as PDF.

Fig. 5. Options for 'CI' of the Kaplan-Meier curve in the 'myeloma.'
CI = confidence interval.

data

☐ lung
 ☒ myeloma
 ☐ want to use my data

Methods

☒ log-rank or Mantel-Haenszel test
 ☐ Peto & Peto modification of the Gehan-Wilcoxon test
 ☐ Tarone-Ware test

p adjust method if needed

☐ holm
 ☐ hochberg
 ☐ hommel
 ☐ bonferroni
 ☒ BH
 ☐ BY
 ☐ fdr

data result survival table Summary plot: wait a while pairwise

Pairwise comparisons using Log-Rank test

data: data and groups
 Obs Lev
 Lev 0.78 -
 Lev+5FU 3.3e-07 9.5e-07
 P value adjustment method: BH

Fig. 6. Results and options of post-hoc pairwise comparisons.

Some options are available depending on the needs of other authors. The median survival time can be displayed on the plot via the 'horizontal/vertical line at median survival' option (Fig. 7).

You can draw various plots through the options of 'cumulative events,' 'cumulative hazard function' and 'survival probability in percentage' (Fig. 8).

When you upload your data, you must put the three field names 'time,' 'event' and 'groups' in Excel and save it as csv file. Select 'want to use my data' and click 'Browse' to upload (Fig. 9).

You do not need to worry about fonts or font sizes. Most level journals, including *JKMS*, redraw the plots. This is because journals have unique colors and fonts. Therefore, if you send a PDF file after specifying the size of the image, they will be able to publish it with appropriate processing (Fig. 10).

This plot is created by using one of the R packages, survminer.⁵

Fig. 7. Median survival time line.

Fig. 8. More various plots.

survival analysis

data

- ☐ lung
- ☐ myeloma
- ☒ want to use my data

Select your file, which have time, event and groups columns

Browse... No file selected

Fig. 9. Menus for uploading your own data.

Fig. 10. After editing according to *Journal of Korean Medical Science* form.

REFERENCES

1. Kaplan EL, Meier P. Nonparametric estimation from incomplete observations. *J Am Stat Assoc* 1958;53(282):457-81.
CROSSREF
2. Survival analysis. https://data-play3.shinyapps.io/compare_KM_curves/. Updated December 16, 2018. Accessed December 16, 2018.
3. Survival analysis. <https://data-play7.shinyapps.io/compare-KM/>. Updated December 16, 2018. Accessed December 16, 2018.
4. Survival analysis. <https://tinyurl.com/compare-KM>. Updated December 16, 2018. Accessed December 16, 2018.
5. Kassambara A, Kosinski M, Biecek P, Fabian S. Survminer: drawing survival curves using 'ggplot2' R package version 0.4.3. <https://CRAN.R-project.org/package=survminer>. Updated 2018. Accessed December 16, 2018.